# Microcontrollers in Blood Glucose Meters



# U TEXAS INSTRUMENTS

A blood glucose meter (BGM) is a device used to determine the approximate concentration of glucose in the blood. In order to test your blood you need a test strip and a blood glucose meter. When a drop of blood is placed on the test strip it interacts with elements on the strip that causes a reaction and an electric current is generated. This current is sent to the BGM. The Op Amp and transimpedance amplifier on the BGM convert the current into voltage. This voltage is then precisely sampled by the Analog-to-Digital Converter (ADC) of the meter. TI's ultra-low-power MSP430<sup>™</sup> and ARM<sup>®</sup> Cortex<sup>®</sup>-M4 MSP432<sup>™</sup> MCUs have best-in-class integrated Op Amps and ADCs that process the data to calculate the glucose level in the blood sample. This value can then be transmitted to a PC, portable equipment or the Cloud, wirelessly (using RF) or wired (using USB-PHDC).


# Why partner with TI in blood glucose meters?


- · Targeted products for low-, mid- and high-end BGM markets
- Integrated Analog Front End to reduce BOM and improve accuracy
- · Ultra-low power to maximize battery life
- Industry's broadest radio portfolio to enable wireless communications
- · Worldwide application and supply chain support
- ISO 11073 / Continua Alliance support

Issue/Need	Requirements	TI Solution
FDA driving accuracy requirements higher	16-/24-bit sigma delta ADCs	MSP430FR6xx MSP430F66xx MSP430FG6xx
Cost sensitivity increasing	Integrated low-cost silicon BOM	MSP430FG4xx MSP430FR4xx
Longer battery life	Ultra-low-power MCU	MSP430 <sup>™</sup> MCU ULP architecture
Upload to tablet/smart phone	RF peripherals	BLE – CC26xx NFC – TRF79xx / RF430
Richer user interfaces	32-bit processing	MSP432 <sup>™</sup> 32-bit ARM <sup>®</sup> Cortex <sup>®</sup> -M4F TM4C ARM Cortex

# **Getting Started**

- Portable Medical Meters: www.ti.com/solution/medical\_meters\_portable
- Medical and Healthcare Applications: www.ti.com/medical
- Medical Applications Guide: www.ti.com/lit/slyb108





System-Based and Optional

Logic
Power
ADC/DAC
Clocks
Other 🔲

# TI Worldwide Technical Support

# **Internet**

#### TI Semiconductor Product Information Center Home Page support.ti.com

### TI E2E<sup>™</sup> Community Home Page

e2e.ti.com

# **Product Information Centers**

Americas	Phone	+1(512) 434-1560	
Brazil	Phone	0800-891-2616	
Mexico	Phone	0800-670-7544	
	Fax	+1(972) 927-6377	

Internet/Email support.ti.com/sc/pic/americas.htm

## Europe, Middle East, and Africa

Phone

European Free Call	00800-ASK-TEXAS (00800 275 83927)
International	+49 (0) 8161 80 2121
Russian Support	+7 (4) 95 98 10 701

International

International

Domestic

Domestic

**Note:** The European Free Call (Toll Free) number is not active in all countries. If you have technical difficulty calling the free call number, please use the international number above.

Fax Internet Direct Email

Japan

Internet/Email

Fax

+(49) (0) 8161 80 2045 www.ti.com/asktexas asktexas@ti.com

> +81-3-3344-5317 0120-81-0036 support.ti.com/sc/pic/japan.htm www.tij.co.jp/pic

Phone Toll-Free Number Note: Toll-free numbers may not support mobile and IP phones. Australia 1-800-999-084 800-820-8682 China Hong Kong 800-96-5941 India 000-800-100-8888 Indonesia 001-803-8861-1006 080-551-2804 Korea Malaysia 1-800-80-3973 0800-446-934 New Zealand Philippines 1-800-765-7404 Singapore 800-886-1028 0800-006800 Taiwan 001-800-886-0010 Thailand International +86-21-23073444 +86-21-23073686 Fax Email tiasia@ti.com or ti-china@ti.com Internet support.ti.com/sc/pic/asia.htm

Asia

**Important Notice:** The products and services of Texas Instruments Incorporated and its subsidiaries described herein are sold subject to TI's standard terms and conditions of sale. Customers are advised to obtain the most current and complete information about TI products and services before placing orders. TI assumes no liability for applications assistance, customer's applications or product designs, software performance, or infringement of patents. The publication of information regarding any other company's products or services does not constitute TI's approval, warranty or endorsement thereof.

#### B021014

The platform bar, E2E, MSP430 and MSP432 are trademarks of Texas Instruments.

All other trademarks are the property of their respective owners.



# IMPORTANT NOTICE AND DISCLAIMER

TI PROVIDES TECHNICAL AND RELIABILITY DATA (INCLUDING DATA SHEETS), DESIGN RESOURCES (INCLUDING REFERENCE DESIGNS), APPLICATION OR OTHER DESIGN ADVICE, WEB TOOLS, SAFETY INFORMATION, AND OTHER RESOURCES "AS IS" AND WITH ALL FAULTS, AND DISCLAIMS ALL WARRANTIES, EXPRESS AND IMPLIED, INCLUDING WITHOUT LIMITATION ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT OF THIRD PARTY INTELLECTUAL PROPERTY RIGHTS.

These resources are intended for skilled developers designing with TI products. You are solely responsible for (1) selecting the appropriate TI products for your application, (2) designing, validating and testing your application, and (3) ensuring your application meets applicable standards, and any other safety, security, regulatory or other requirements.

These resources are subject to change without notice. TI grants you permission to use these resources only for development of an application that uses the TI products described in the resource. Other reproduction and display of these resources is prohibited. No license is granted to any other TI intellectual property right or to any third party intellectual property right. TI disclaims responsibility for, and you will fully indemnify TI and its representatives against, any claims, damages, costs, losses, and liabilities arising out of your use of these resources.

TI's products are provided subject to TI's Terms of Sale or other applicable terms available either on ti.com or provided in conjunction with such TI products. TI's provision of these resources does not expand or otherwise alter TI's applicable warranties or warranty disclaimers for TI products.

TI objects to and rejects any additional or different terms you may have proposed.

Mailing Address: Texas Instruments, Post Office Box 655303, Dallas, Texas 75265 Copyright © 2024, Texas Instruments Incorporated