



C67xx Design 6

Vin = 5V

CVDD = 1.26V @ 1.0A (TPS62040)

DVDD = 3.3V @ 1.0A (TPS62046)

Title			
Size	Number		Rev
B	PR377		
Date	04/04/05	Drawn by	
Filename	pr377.sch	Sheet	of

Filename: PR377_bom.xls					
Date: 04/04/2005					
PR377 BOM					
COUNT	RefDes	Description	Size	Part Number	MFR
4	C1, C6, C9, C10	Capacitor, Ceramic, 0.1-uF, 25-V, X7R, 10%	0603	GRM188R71E104KA01	muRata
1	C11	Capacitor, Ceramic, 120-pF, 50-V, C0G, 5%	0603	GRM1885C1H121JA01D	muRata
4	C2, C3, C7, C8	Capacitor, Ceramic, 22-uF, 6.3-V, X5R, 10%	0805	GRM21BR60J226ME39L	muRata
1	C4	Capacitor, Ceramic, 47-pF, 50-V, C0G, 5%	0603	GQM1885C1H470GB01D	muRata
1	C5	Capacitor, Ceramic, 82-pF, 50-V, C0G, 5%	0603	GQM1885C1H820JB01D	muRata
2	L1, L2	Inductor, SM Toroid, 6.2-uH, 1.8-A, 45-milliohms	0.224	CDRH5D28-6R2	Sumida
3	R1, R6, R7	Resistor, Chip, 10k-Ohms, 1/16-W, 1%	0603	Std	Std
1	R2	Resistor, Chip, 383k-Ohms, 1/16-W, 1%	0603	Std	Std
1	R3	Resistor, Chip, 249k-Ohms, 1/16-W, 1%	0603	Std	Std
1	R4	Resistor, Chip, 100k-Ohms, 1/16-W, 1%	0603	Std	Std
1	R5	Resistor, Chip, 182k-Ohms, 1/16-W, 1%	0603	Std	Std
1	S1	Switch, 1P2T, Slide, PC-mount, 200-mA	0.46 x 0.16	EG1218	E_Switch
1	U1	IC, 3-Pin Supply Voltage Supervisor	SOT23	TPS3809I50	TI
1	U2	IC,High-Efficiency Step-Down Low Power DC-DC Converter, Adj V	DGS10	TPS62040DGQ	TI
1	U3	IC,High-Efficiency Step-Down Low Power DC-DC Converter, 3.3-V	DGS10	TPS62046DGQ	TI
1	U4	IC, Low Quiescent Current Programmable, Adj-V, Delay Time 1ms to10s	SOT23-6	TPS3808G01	TI
1	U5	IC, Low Quiescent Current Programmable, 3.3-V, Delay Time 1ms to10s	SOT23-6	TPS3808G33	TI

IMPORTANT NOTICE

Texas Instruments Incorporated and its subsidiaries (TI) reserve the right to make corrections, modifications, enhancements, improvements, and other changes to its products and services at any time and to discontinue any product or service without notice. Customers should obtain the latest relevant information before placing orders and should verify that such information is current and complete. All products are sold subject to TI's terms and conditions of sale supplied at the time of order acknowledgment.

TI warrants performance of its hardware products to the specifications applicable at the time of sale in accordance with TI's standard warranty. Testing and other quality control techniques are used to the extent TI deems necessary to support this warranty. Except where mandated by government requirements, testing of all parameters of each product is not necessarily performed.

TI assumes no liability for applications assistance or customer product design. Customers are responsible for their products and applications using TI components. To minimize the risks associated with customer products and applications, customers should provide adequate design and operating safeguards.

TI does not warrant or represent that any license, either express or implied, is granted under any TI patent right, copyright, mask work right, or other TI intellectual property right relating to any combination, machine, or process in which TI products or services are used. Information published by TI regarding third-party products or services does not constitute a license from TI to use such products or services or a warranty or endorsement thereof. Use of such information may require a license from a third party under the patents or other intellectual property of the third party, or a license from TI under the patents or other intellectual property of TI.

Reproduction of information in TI data books or data sheets is permissible only if reproduction is without alteration and is accompanied by all associated warranties, conditions, limitations, and notices. Reproduction of this information with alteration is an unfair and deceptive business practice. TI is not responsible or liable for such altered documentation.

Resale of TI products or services with statements different from or beyond the parameters stated by TI for that product or service voids all express and any implied warranties for the associated TI product or service and is an unfair and deceptive business practice. TI is not responsible or liable for any such statements.

Following are URLs where you can obtain information on other Texas Instruments products and application solutions:

Products		Applications	
Amplifiers	amplifier.ti.com	Audio	www.ti.com/audio
Data Converters	dataconverter.ti.com	Automotive	www.ti.com/automotive
DSP	dsp.ti.com	Broadband	www.ti.com/broadband
Interface	interface.ti.com	Digital Control	www.ti.com/digitalcontrol
Logic	logic.ti.com	Military	www.ti.com/military
Power Mgmt	power.ti.com	Optical Networking	www.ti.com/opticalnetwork
Microcontrollers	microcontroller.ti.com	Security	www.ti.com/security
		Telephony	www.ti.com/telephony
		Video & Imaging	www.ti.com/video
		Wireless	www.ti.com/wireless

Mailing Address: Texas Instruments
Post Office Box 655303 Dallas, Texas 75265