# Purchase Order Change Acknowledgment

Transaction Set (865)

(Outbound from TI)

ANSI X12 Version Format: 3010 Date: December 15, 1994

Copyright 1994 Texas Instruments Inc. All Rights Reserved

The information and/or drawings set forth in this document and all rights in and to inventions disclosed herein and patents which might be granted there on disclosing and employing the materials, methods, techniques, or apparatus described herein are exclusive property of Texas Instruments, Inc.

This document was created to aid in your implementation of the ANSI 3010 standard for purchase order change acknowledgments. This document contains those segments and elements that will be sent for the purchase order change acknowledgments created by Texas Instruments.

A complete description of the purchase order change acknowledgment segments are outlined in the ANSI 3010 Standards Manual. If you require/need to be sent additional segments not listed in this documentation, an agreement must be reached with Texas Instruments.

#### Data Element Attributes

- M = Mandatory (must be transmitted)
- X = Conditional (presence of this field is dependent on the value or presence of other data elements within the segment)
- O = Optional (the appearance of the element is either at the option of the sending party or based on agreement between the trading partners)

### Data Element Types

- AN = Alphanumeric
- NN = Numeric
  - 1st N signifies numeric

2nd N signifies the number of decimal places to the right of a fixed, implied decimal point (the decimal point is not transmitted for this data element type)

- R = Numeric Decimal (decimal point required to be transmitted when fractional values are present)
- ID = Field contains a code value (codes are contained within predetermined lists maintained by the standards committee and are found in the appendix of ANSI manuals)
- DT = Date formatted in YYMMDD, where
  - YY = Last 2 digits of the year (00-99)
  - MM= Numeric month (01-12)
  - DD = Numeric day (01-31)
- TM = Time formatted in HHMM, where
  - HH = Military hour (00-23)
  - MM= Minute (00-59)

#### Data Element Length

- The number to the left of the "/" specifies the minimum length of the field as required by the standard.
- The number to the right of the "/" specifies the maximum length of the field as required by the standard.
- When the minimum and maximum lengths are the same, this signifies the field has a fixed length.
- The minimum and maximum lengths do not include the decimal point (when data element is R).

This transaction set can be used: (1) by the seller to acknowledge or convey acceptance of changes to a previously submitted purchase order or (2) by seller to notify the buyer of changes initiated by the seller to a previously submitted purchase order.

SEG. ID	NAME	REQ.DES.	MAX USE	LOOP REPEAT
ISA	Interchange Control Header	М	1	
GS	Functional Group Header	Μ	1	
ST	Transaction Set Header	Μ	1	
BCA	Beginning Segment (Purchase Order	Μ	1	
	Change Acknowledgment)			
	LOOP ID - N9			
N9	Reference Number	0	1	1,000
	LOOP ID - N1			
N1	Name	0	1	200
N2	Additional Name Information	Ο	2	
N3	Address Information	Ο	2	
N4	Geographic Location	0	1	
	LOOP ID - POC			
POC	Line Item Change	0	1	10,000
	LOOP ID - ACK			
ACK	Line Item Acknowledgment	0	1	104
DTM	Date/Time Reference	0	1	
CTT	Transaction Totals	М	1	
SE	Transaction Set Trailer	Μ	1	
GE	Functional Group Trailer	М	1	
IEA	Interchange Control Trailer	Μ	1	

4

**Purpose**: To start and identify an interchange of one or more functional groups and interchange related control segments.

Field #	Element	Field Name	Req.	Туре	Size	TI Usage
ISA01	I01	Authorization	M	ID	2/2	00 - No Authorization
101101	101	Information			_/ _	Information Present
		Qualifier				01 - UCS Communications ID
ISA02	I02	Authorization	М	AN	10/10	Supplied by TI if using direct dial
		Information				service
ISA03	I03	Security	М	ID	2/2	00 - No Security Information
		Information				Present
		Qualifier				01 - Password
ISA04	I04	Security	Μ	AN	10/10	Supplied by TI if using direct dial
		Information				service
ISA05	I05	Interchange ID	Μ	ID	2/2	TI accepts all; TI uses 01 - DUNS
		Qualifier				(Dun & Bradstreet)
ISA06	I06	Interchange	Μ	ID	15/15	Defined by Sender
		Sender ID				
ISA07	I05	Interchange ID	Μ	ID	2/2	TI accepts all; TI uses 01 - DUNS
		Qualifier				(Dun & Bradstreet)
ISA08	I07	Interchange	Μ	ID	15/15	Defined by Receiver
		Receiver ID				
ISA09	I08	Interchange Date	Μ	DT	6/6	Current Date: YYMMDD
ISA10	I09	Interchange Time	Μ	TM	4/4	Current Time: HHMM
ISA11	I10	Interchange	Μ	ID	1/1	U - American National Standards
		Standards ID				Committee X12
ISA12	I11	Interchange	Μ	ID	5/5	This version number covers X12
		Version ID				control segments only. Positions
						1-3 = major version number;
						positions $4-5 =$ release level of the
						version.

Field #	Element	Field Name	Req.	Туре	Size	TI Usage
ISA13	I12	Interchange Control Number	М	NO	9/9	This number is assigned by sender; together with sender ID, it uniquely identifies interchange data to receiver. It is suggested that sender, receiver, and all third parties be able to maintain an audit trail of interchanges using this number.
ISA14	I13	Acknowledgment Requested	М	ID	1/1	<ul> <li>0 - No Acknowledgment Requested</li> <li>1 - Interchange Acknowledgment Requested</li> </ul>
ISA15	I14	Test Indicator	М	ID	1/1	T - Test Data P - Production Data
ISA16	I15	Sub Element Separator	М	AN	1/1	Defined by Sender

**Purpose:** To start and identify a functional group of related transaction sets and provide control and application identification information.

<b>T</b> '.11//	The second		D	T	<b>C!</b>	
Field #	Element	Field Name	Req.	Туре	Size	TI Usage
GS01	479	Functional ID	Μ	ID	2/2	Code identifying a group of
		Code				application related transaction sets
GS02	142	Application	Μ	AN	2/12	Defined by Sender
		Sender's Code				
GS03	124	Application	Μ	AN	2/12	Defined by Receiver
		Receiver's Code				
GS04	29	Group Date	Μ	DT	6/6	Date sender generated a
						functional group of transaction
						sets. Format: YYMMDD
GS05	30	Group Time	Μ	TM	4/4	Time expressed in 24-hour clock
						time when the sender generated a
						functional group of transaction
						sets (local time at sender's
						location). Format: HHMM
GS06	28	Group Control	Μ	N0	1/9	Sequentially assigned by sender
		Number				
GS07	455	Responsible	Μ	ID	1/2	X - Accredited Standards
		Agency Code				Committee X12
GS08	480	Version/Release/	Μ	ID	1/12	Code indicating the version,
		Industry ID Code				release, and industry ID of the
						EDI standard being used.
						Positions 1 - $3 =$ major version
						number; positions $4 - 6 =$ release
						number.

### **ST - Transaction Set Header**

#### Status: Mandatory

**Purpose:** The first segment of each transaction set, containing the transaction set identifier and control numbers.

Field #	Element	Field Name	Req.	Туре	Size	TI Usage
ST01	143	Transaction Set	Μ	ID	3/3	865 - Purchase Order Change
		ID Code				Acknowledgment
ST02	329	Transaction Set	Μ	AN	4/9	The control number is assigned by
		Control Number				the sender. It should be
						sequentially assigned within each
						functional group to aid in error
						recovery and research. The
						control number in the SE segment
						(SE02) must be identical to the
						control number in the ST segment
						for each transaction.

### BCA - Beginning Segment (Purchase Order Change Acknowledgment)

Status: Mandatory

**Purpose:** To indicate the beginning of the purchase order change acknowledgment transaction set and transmit identifying numbers and dates.

Field #	Element	Field Name	Req.	Туре	Size	TI Usage
BCA01	353	Transaction Set Purpose Code	М	ID	2/2	00 - Original
BCA02	587	Acknowledgment Type	0	ID	2/2	AC - Acknowledge - With Detail and Change
BCA03	324	Purchase Order Number	М	AN	1/22	Purchase Order Number
BCA04	328	Release Number	0	AN	1/30	Not Used
BCA05	327	Change Order Sequence Number	0	AN	1/8	Change Order Sequence Number from Original Purchase Order
BCA06	323	Purchase Order Date	М	DT	6/6	Purchase Order Date (YYMMDD)
BCA07	326	Request Reference Number	0	AN	1/45	Not Used
BCA08	367	Contract Number	0	AN	1/30	Not Used
BCA09	127	Reference Number	0	AN	1/30	TI Sales Order Number

**NOTE:** BCA10 through BCA13 are not used.

### **N9 - Reference Number**

Status: Optional

**Purpose:** To transmit identifying numbers and descriptive information as specified by the reference number qualifier.

Field #	Element	Field Name	Req.	Туре	Size	TI Usage
N901	128	Reference	М	ID	2/2	CJ - Clause Number
		Number Qualifier				GC - Government Contract
						Number
						GP - Government Priority
						Number
						MU - Military Specification
						Number
N902	127	Reference	Х	AN	1/30	Number Qualified by N901
		Number				-
N903	369	Free-form	Х	AN	1/45	Not Used
		Description				
N904	373	Date	0	DT	6/6	Not Used
N905	337	Time	0	TM	4/6	Not Used

### N1 - Name

Status: Optional

**Purpose:** To identify a party by type of organization, name and code.

Field #	Element	Field Name	Req.	Туре	Size	TI Usage
N101	98	Entity ID Code	М	ID	2/2	BY - Buyer
						ST - Ship To
						SU - Supplier/Manufacturer
N102	93	Name	Х	AN	1/35	Name
N103	66	ID Code Qualifier	Х	ID	1/2	Not Used
N104	67	ID Code	Х	ID	2/17	Not Used

Status: Optional

**Purpose:** To specify additional names or those longer than 35 characters in length.

Field #	Element	Field Name	Req.	Туре	Size	TI Usage
N201	93	Name	М	AN	1/35	Semiconductor Group
N202	93	Name	0	AN	1/35	Not Used

### N3 - Name

Status: Optional

**Purpose:** To specify the location of the named party.

Field #	Element	Field Name	Req.	Туре	Size	TI Usage
N301	166	Address	М	AN	1/35	First line of address
N302	166	Address	0	AN	1/35	Second line of address

Status: Optional

Field #	Element	Field Name	Req.	Туре	Size	TI Usage
N401	19	City Name	Х	AN	2/19	City Name
N402	156	State/Province Code	0	ID	2/2	From ANSI Code List A-22
N403	116	Postal Code	0	ID	4/9	Zip Code
N404	26	Country Code	0	ID	2/2	Not Used
N405	309	Location Qualifier	Х	ID	1/2	Not Used
N406	310	Location Identifier	Х	AN	1/25	Not Used

**Purpose:** To specify the geographic place of the named party.

# **POC - Line Item Change**

Status: Optional

**Purpose:** To specify changes to a line item.

Field #	Element	Field Name	Req.	Туре	Size	TI Usage
POC01	350	Assigned Identification	0	AN	1/11	Purchase Order Line Item Number
POC02	670	Change or Response Type Code	М	ID	2/2	MU - (Multiple) For Unit Price Quantity Reschedule Change
POC03	330	Quantity Ordered	0	R	1/9	Quantity Ordered
POC04	671	Quantity Left to Receive	Х	R	1/9	Not Used
POC05	355	Unit of Measure Code	Х	ID	2/2	Unit of Measure Code EA - Each
POC06	212	Unit Price	Х	R	1/14	Unit Price
POC07	639	Basis Unit Price Code	0	ID	2/2	CT - Contract Price
POC08	235	Product/Service ID Qualifier	0	ID	2/2	PN - Part Number
POC09	234	Product/Service ID	Х	AN	1/30	Customer Part Number
POC10	235	Product/Service ID Qualifier	0	ID	2/2	EC - Engineering Change Level
POC11	234	Product/Service ID	Х	AN	1/30	Customer Part Revision Level
POC12	235	Product/Service ID Qualifier	0	ID	2/2	VP - Vendor's Part Number
POC13	234	Product/Service ID	Х	AN	1/30	TI Part Number
POC14	235	Product/Service ID Qualifier	0	ID	2/2	VO - Vendor's Order Number
POC15	234	Product/Service ID	Х	AN	1/30	TI Sales Order Number

**NOTE:** POC16 through POC27 are not used.

Status: Optional

**Purpose:** To acknowledge the ordered quantities and specify the ready date for a specific line item.

Field #	Element	Field Name	Req.	Туре	Size	TI Usage
ACK01	668	Line Item Status	М	ID	2/2	DR - Item Accepted - Date
		Code				Rescheduled
						IA - Item Accepted
						IC - Item Accepted - Changes
						Made
						ID - Item Deleted
						IP - Item Accepted - Price
						Changed
						IQ - Item Accepted - Quantity
						Changed
ACK02	380	Quantity	0	R	1/15	Quantity Scheduled
ACK03	355	Unit of Measure	Х	ID	2/2	EA - Each
		Code				
ACK04	374	Date/Time	0	ID	3/3	003 - Invoice
		Qualifier				017 - Estimated Delivery
						041 - Status (Prior and
						Including)
ACK05	373	Date	Х	DT	6/6	Date Qualified by ACK04
						(YYMMDD)

**NOTE:** ACK06 through ACK26 are not used.

# **DTM - Date/Time Reference**

Status: Optional

Field #	Element	Field Name	Req.	Туре	Size	TI Usage
DTM01	374	Date/Time Qualifier	М	ID	3/3	011 - Shipped
DTM02	373	Date	Х	DT	6/6	Date Shipped (YYMMDD)
DTM03	337	Time	Х	TM	4/6	Not Used
DTM04	623	Time Code	0	ID	2/2	Not Used
DTM05	624	Century	0	N0	2/2	Not Used

# CTT - Transaction Totals

Status: Mandatory

**Purpose:** To transmit a hash total for a specific element in the transaction set.

Field #	Element	Field Name	Req.	Туре	Size	TI Usage
CTT01	354	Number of Line	Μ	N0	1/6	Number of line item segments in
		Items				this transaction set

**NOTE:** CTT02 through CTT07 are not used.

**Purpose:** To indicate the end of the transaction set and provide the count of the transmitted segments, including the beginning (ST) and ending (SE) segments.

Field #	Element	Field Name	Req.	Туре	Size	TI Usage
SE01	96	Number of Included Segments	М	N0	1/6	The total number of all segments in the transaction set, including the ST and SE segments.
SE02	329	Transaction Set Control Number	М	AN	4/9	The control number is assigned by the sender. It should be sequentially assigned within each functional group to aid in error recovery and research. The control number in the SE segment must be identical to the control number in the ST segment (ST02) for each transaction.

### **GE - Functional Group Trailer**

### Status: Mandatory

**Purpose:** To indicate the end of a functional group and to provide control information.

Field #	Element	Field Name	Req.	Туре	Size	TI Usage
GE01	97	Number of Included Transaction Sets	М	N0	1/6	The total number of transaction sets included.
GE02	28	Group Control Number	М	NO	1/9	The data interchange control number must match the same data element (GS06) in the functional group header segment.

**Purpose:** To define the end of an interchange of one or more functional groups and interchange related control segments.

Field #	Element	Field Name	Req.	Туре	Size	TI Usage
IEA01	I16	Number of Included Groups	М	N0	1/5	A count of the number of functional groups included in a transmission.
IEA02	I12	Interchange Control Number	М	NO	9/9	This number is assigned by sender; together with sender ID, it uniquely identifies interchange data to receiver. It is suggested that sender, receiver, and all third parties be able to maintain an audit trail of interchanges using this number.