




1 Photo

The photographs below show the top and bottom view of the PMP6776 Rev F demo board.



2 Thermal Images


The images below show thermal images of the board. The ambient temperature was 25°C with no forced air flow.




3 Start-up Timing

The output voltages at startup are shown in the images below.

- CH1: Vin, CH2: 1V, CH3: 1.8V, CH4: 2V




No Load




Full Load

- CH1: 2V, CH2: 2V5, CH3: 3V3, CH4: 1V MGT




No Load




Full Load

- CH1: 2V, CH2: 2V5, CH3: 3V3, CH4: 1V2




No Load




Full Load

- CH1: 2V, CH2: 2V5, CH3: 3V3, CH4: 1V5



No Load




Full Load

4 Turn-off Timing

The output voltages at turn-off are shown in the images below.

CH1: Vin, CH2: 1V, CH3: 1.8V, CH4: 2V




No Load




Full Load

- CH1: 2V, CH2: 2V5, CH3: 3V3, CH4: 1V MGT




No Load




Full Load

- CH1: 2V, CH2: 2V5, CH3: 3V3, CH4: 1V2




No Load



Full Load

- CH1: 2V, CH2: 2V5, CH3: 3V3, CH4: 1V5




No Load

Full Load


5 Ripple and Noise

The output voltage ripples at full load condition are shown in the images below.


- 1V2




- 2V




- 1V8




- 1V5




- 3V3




- 2V5



- 1V0_MGT




- 1V0




6 Dynamic Response

The dynamic responses of each output are shown in the images below.


- 1V2: 2A to 4A transient.




- 2V: 1A to 2A transient.




- 1V8: 3A to 6A transient.




- 1V5: 2A to 4A transient.




- 3V3: 4A to 8A transient.




- 2V5: 4A to 8A transient.



- 1V0_MGT




- 1V0




7 Frequency Response

The frequency responses of each rail with maximum load condition are shown as below.


- 1V2




- 2V:




- 1V8:




- 1V5:




- 3V3:




- 2V5: 4A to 8A transient.



- 1V0_MGT



- 1V0



IMPORTANT NOTICE AND DISCLAIMER

TI PROVIDES TECHNICAL AND RELIABILITY DATA (INCLUDING DATASHEETS), DESIGN RESOURCES (INCLUDING REFERENCE DESIGNS), APPLICATION OR OTHER DESIGN ADVICE, WEB TOOLS, SAFETY INFORMATION, AND OTHER RESOURCES "AS IS" AND WITH ALL FAULTS, AND DISCLAIMS ALL WARRANTIES, EXPRESS AND IMPLIED, INCLUDING WITHOUT LIMITATION ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT OF THIRD PARTY INTELLECTUAL PROPERTY RIGHTS.

These resources are intended for skilled developers designing with TI products. You are solely responsible for (1) selecting the appropriate TI products for your application, (2) designing, validating and testing your application, and (3) ensuring your application meets applicable standards, and any other safety, security, or other requirements. These resources are subject to change without notice. TI grants you permission to use these resources only for development of an application that uses the TI products described in the resource. Other reproduction and display of these resources is prohibited. No license is granted to any other TI intellectual property right or to any third party intellectual property right. TI disclaims responsibility for, and you will fully indemnify TI and its representatives against, any claims, damages, costs, losses, and liabilities arising out of your use of these resources.

TI's products are provided subject to TI's Terms of Sale (<https://www.ti.com/legal/termsofsale.html>) or other applicable terms available either on [ti.com](https://www.ti.com) or provided in conjunction with such TI products. TI's provision of these resources does not expand or otherwise alter TI's applicable warranties or warranty disclaimers for TI products.

Mailing Address: Texas Instruments, Post Office Box 655303, Dallas, Texas 75265
Copyright © 2021, Texas Instruments Incorporated