

TSW14J56EVM Test Report


Contents

Block Diagram
Board Photos
Efficiency
Load Regulation
Startup (No Load)
Output Ripple Voltage (Full Load)
Load Transients

Figures

1) Block Diagram

Arria V GZ FPGA Power Reference Design



2) Board Photos




Figure 1. Board Photo Top




Figure 2. Board Photo Bottom

3) Efficiency

The efficiency of the converters is shown in the figures below. The input voltage is set to 5V.




Figure 3. VIN = 5V Efficiency




Figure 4. VIN = 5V Efficiency

4) Load Regulation

The images below show the output load regulation. The input voltage is 5V.




Figure 5. VIN = 5V Load Regulation





Figure 6. VIN = 5V Load Regulation

5) Startup No Load

The images below shows the startup waveforms. The output is not loaded. The input voltage is set to 5V.




Ch.1: VIN = 5V

Ch.2: VOUT = 0.85V

Ch.3: VOUT = 1.0V

Ch.4: VOUT = 3.0V

Figure 7. VIN = 5V Startup with No Load



Ch.1: VIN = 5V

Ch.2: VOUT = 1.5V

Ch.3: VOUT = 1.5V DDR3

Ch.4: VOUT = 3.0V

Figure 8. VIN = 5V Startup with No Load

6) Output Voltage Ripple

The images below shows the output voltage ripple when load is fully applied. The input voltage is 5V.




Figure 9. $V_{IN} = 5V$, $V_{OUT} = 0.85V$, $I_{OUT} = 6A$ Output Ripple Voltage




Figure 10. $V_{IN} = 5V$, $V_{OUT} = 1.0V$, $I_{OUT} = 6A$ Output Ripple Voltage




Figure 11. $V_{IN} = 5V$, $V_{OUT} = 3.0V$, $I_{OUT} = 6A$ Output Ripple Voltage




Figure 12. $V_{IN} = 5V$, $V_{OUT} = 1.5V$, $I_{OUT} = 6A$ Output Ripple Voltage




Figure 13. VIN = 5V, VOUT = 1.5V DDR3, IOU = 6A Output Ripple Voltage




Figure 14. VIN = 5V, VOUT = 3.0V, IOU = 6A Output Ripple Voltage

7) Load Transients

The transient response of the converters is shown below. The input voltage is 5V. The output current is pulsed from 50% load to full load.




Figure 15. VIN = 5V, VOUT = 0.85V, 3A to 6A Load Transient




Figure 16. VIN = 5V, VOUT = 1.0V, 3A to 6A Load Transient




Figure 17. VIN = 5V, VOUT = 3.0V, 3A to 6A Load Transient




Figure 18. VIN = 5V, VOUT = 1.5V, 3A to 6A Load Transient




Figure 19. VIN = 5V, VOUT = 1.5V, 3A to 6A Load Transient




Figure 20. VIN = 5V, VOUT = 3.0V, 3A to 6A Load Transient

IMPORTANT NOTICE AND DISCLAIMER

TI PROVIDES TECHNICAL AND RELIABILITY DATA (INCLUDING DATASHEETS), DESIGN RESOURCES (INCLUDING REFERENCE DESIGNS), APPLICATION OR OTHER DESIGN ADVICE, WEB TOOLS, SAFETY INFORMATION, AND OTHER RESOURCES "AS IS" AND WITH ALL FAULTS, AND DISCLAIMS ALL WARRANTIES, EXPRESS AND IMPLIED, INCLUDING WITHOUT LIMITATION ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT OF THIRD PARTY INTELLECTUAL PROPERTY RIGHTS.

These resources are intended for skilled developers designing with TI products. You are solely responsible for (1) selecting the appropriate TI products for your application, (2) designing, validating and testing your application, and (3) ensuring your application meets applicable standards, and any other safety, security, or other requirements. These resources are subject to change without notice. TI grants you permission to use these resources only for development of an application that uses the TI products described in the resource. Other reproduction and display of these resources is prohibited. No license is granted to any other TI intellectual property right or to any third party intellectual property right. TI disclaims responsibility for, and you will fully indemnify TI and its representatives against, any claims, damages, costs, losses, and liabilities arising out of your use of these resources.

TI's products are provided subject to TI's Terms of Sale (<https://www.ti.com/legal/termsofsale.html>) or other applicable terms available either on [ti.com](https://www.ti.com) or provided in conjunction with such TI products. TI's provision of these resources does not expand or otherwise alter TI's applicable warranties or warranty disclaimers for TI products.

Mailing Address: Texas Instruments, Post Office Box 655303, Dallas, Texas 75265
Copyright © 2021, Texas Instruments Incorporated